



Bibliography

- [1] AFNIC, “2013 : un palier dans le déploiement d’ipv6?” AFNIC, Tech. Rep., 2013.
- [2] A. Aggarwal, S. Savage, and T. Anderson, “Understanding the performance of tcp pacing,” in *INFOCOM 2000. Nineteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE*, vol. 3. IEEE, 2000, pp. 1157–1165.
- [3] J. Aikat, J. Kaur, F. D. Smith, and K. Jeffay, “Variability in tcp round-trip times,” in *Proceedings of the 3rd ACM SIGCOMM conference on Internet measurement*. ACM, 2003, pp. 279–284.
- [4] M. Allman, “Comments on bufferbloat,” *SIGCOMM Comput. Commun. Rev.*, vol. 43, no. 1, pp. 30–37, Jan. 2012.
- [5] P. Anelli, “Des aléas de la communication : de la transmission au transport,” Habilitation à diriger des recherches en informatique, Université de La Réunion, 2012.
- [6] A. G. Araldo and D. Rossi, “Dissecting bufferbloat: Measurement and per-application breakdown of queueing delay,” in *Proceedings of the 2013 workshop on Student workshop*. ACM, 2013, pp. 53–56.
- [7] M. J. Arif, S. Karunasekera, and S. Kulkarni, “Geoweight: Internet host geolocation based on a probability model for latency measurements,” in *Proceedings of the Thirty-Third Australasian Conferenc on Computer Science - Volume 102*, ser. ACSC ’10. Darlinghurst, Australia, Australia: Australian Computer Society, Inc., 2010, pp. 89–98. [Online]. Available: <http://dl.acm.org/citation.cfm?id=1862199.1862209>
- [8] S. Banerjee, B. Bhattacharjee, and C. Kommareddy, *Scalable application layer multicast*. ACM, 2002, vol. 32, no. 4.
- [9] P.-J. Benghozi, S. Bureau, and F. Massit-Folléa, *Internet of things: what challenges for Europe?* Les Editions de la MSH, 2009.
- [10] Y. Bhole and A. Popescu, “Measurement and analysis of http traffic,” *Journal of Network and Systems Management*, vol. 13, no. 4, pp. 357–371, 2005.

- [11] J. Bughin, “Clouds, big data, and smart asserts : ten tech-enabled business trends to watch,” *MacKinsey Quartely*, vol. 0, pp. 1–14, 2010.
- [12] A. Callado, “A survey on internet traffic identification,” *IEEE Communications Surveys and Tutorials*, vol. 11, pp. 37–49, 2009.
- [13] E. W. Chan, X. Luo, W. W. Fok, W. Li, and R. K. Chang, “Non-cooperative diagnosis of submarine cable faults,” in *Passive and Active Measurement*. Springer, 2011, pp. 224–234.
- [14] J. Cleary, S. Donnelly, I. Graham, A. McGregor, and M. Pearson, “Design principles for accurate passive measurement,” in *Proceedings of PAM*, 2000.
- [15] “Câble sous-marin rompu, internet qui mouline,” 2014. [Online]. Available: <http://www.clicanoo.re/450621-cable-sous-marin-rompu-internet-qui-mouline.html>
- [16] J. CST, “Débit perturbé pour encore une dizaine de jours selon les opérateurs,” 2014. [Online]. Available: <http://www.clicanoo.re/450885>
- [17] M. Crovella and B. Krishnamurthy, *Internet Measurement: Infrastructure, Traffic and Applications*. New York, NY, USA: John Wiley & Sons, Inc., 2006.
- [18] M. Dischinger, A. Haeberlen, K. P. Gummadi, and S. Saroiu, “Characterizing residential broadband networks,” in *Proceedings of the 7th ACM SIGCOMM Conference on Internet Measurement*, ser. IMC ’07. New York, NY, USA: ACM, 2007, pp. 43–56. [Online]. Available: <http://doi.acm.org/10.1145/1298306.1298313>
- [19] K. Egevang and P. Francis, “The ip network address translator (nat),” RFC 1631, Tech. Rep., 1994.
- [20] C. Emmnoulides, “Internet usage : predictors of active users and frequency of use,” *Journal of interactive marketing*, vol. 14, pp. 17–32, 2000.
- [21] M. Ford, “Workshop report: reducing internet latency, 2013,” *ACM SIGCOMM Computer Communication Review*, vol. 44, no. 2, pp. 80–86, 2014.
- [22] C. Fraleigh, S. Moon, B. Lyles, C. Cotton, M. Khan, D. Moll, R. Rockell, T. Seely, and S. Diot, “Packet-level traffic measurements from the sprint ip backbone,” *Network, IEEE*, vol. 17, no. 6, pp. 6–16, 2003.
- [23] P. Francis, S. Jamin, V. Paxson, L. Zhang, D. F. Gryniewicz, and Y. Jin, “An architecture for a global internet host distance estimation service,” in *INFOCOM’99. Eighteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Proceedings. IEEE*, vol. 1. IEEE, 1999, pp. 210–217.
- [24] S. Gangam, J. Chandrashekar, Í. Cunha, and J. Kurose, “Estimating tcp latency approximately with passive measurements,” in *Passive and Active Measurement*. Springer, 2013, pp. 83–93.
- [25] S. Harcsik, A. Petlund, C. Griwodz, and P. Halvorsen, “Latency evaluation of networking mechanisms for game traffic,” in *Proceedings of the 6th ACM SIGCOMM Workshop on Network and System Support for Games*, ser. NetGames ’07. New York, NY, USA: ACM, 2007, pp. 129–134. [Online]. Available: <http://doi.acm.org/10.1145/1326257.1326280>
- [26] W. C. Hardy, *QoS: measurement and evaluation of telecommunications quality of service*. Wiley, 2001.

- [27] K. R. Houerbi, “Mesures et caractérisation du trafic dans le réseau national universitaire (rnu),” Ph.D. dissertation, Ecole nationale des sciences de l’informatique, université de manouba, Tunis, 2009.
- [28] M. Hassan and R. Jain, *High performance TCP/IP networking*. Prentice Hall, 2003.
- [29] “Ieee international conference on communication.” [Online]. Available: <http://icc2015.ieee-icc.com>
- [30] R. Jain, *The art of computer systems performance analysis*. John Wiley & Sons Chichester, 1991, vol. 182.
- [31] S. Radhakrishnan, Y. Cheng, J. Chu, A. Jain, and B. Raghavan, “Tcp fast open,” in *Proceedings of the Seventh CONference on emerging Networking EXperiments and Technologies*. ACM, 2011, p. 21.
- [32] S. Jaiswal, G. Iannaccone, C. Diot, J. Kurose, and D. Towsley, “Inferring tcp connection characteristics through passive measurements,” in *INFOCOM 2004. Twenty-third Annual Joint Conference of the IEEE Computer and Communications Societies*, vol. 3. IEEE, 2004, pp. 1582–1592.
- [33] H. Jiang and C. Dovrolis, “Passive estimation of tcp round-trip times,” *ACM SIGCOMM Computer Communication Review*, vol. 32, no. 3, pp. 75–88, 2002.
- [34] W. John, S. Tafvelin, and T. Olovsson, “Passive internet measurement: Overview and guidelines based on experiences,” *Computer Communications*, vol. 33, no. 5, pp. 533–550, 2010.
- [35] T. Kawanishi, A. Kanno, and N. Yamamoto, “Low latency data transmission using wireless and wired communications,” in *International Conference on Space Optical Systems and applications (ICSOS) 2012*, 2012.
- [36] H. Kim, M. Fomenkov, K. Claffy, N. Brownlee, D. Barman, and M. Faloutsos, “Comparison of internet traffic classification tools,” *IMRG WACI*, 2007.
- [37] H. J. Kim, D. H. Lee, J. M. Lee, K. H. Lee, W. Lyu, and S. G. Choi, “The qoe evaluation method through the qos-qoe correlation model,” in *Networked Computing and Advanced Information Management, 2008. NCM’08. Fourth International Conference on*, vol. 2. IEEE, 2008, pp. 719–725.
- [38] O. Krajsa and L. Fojtova, “Rtt measurement and its dependence on the real geographical distance,” in *Telecommunications and Signal Processing (TSP), 2011 34th International Conference on*. IEEE, 2011, pp. 231–234.
- [39] F. Kuipers, R. Kooij, D. De Vleeschauwer, and K. Brunnström, “Techniques for measuring quality of experience,” in *Wired/wireless internet communications*. Springer, 2010, pp. 216–227.
- [40] V. Kushwaha and R. Gupta, “Congestion control for high-speed wired network: A systematic literature review,” *Journal of Network and Computer Applications*, vol. 45, no. 0, pp. 62 – 78, 2014. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S1084804514001453>
- [41] K.-c. Lan and J. Heidemann, “A measurement study of correlations of internet flow characteristics,” *Computer Networks*, vol. 50, no. 1, pp. 46–62, 2006.
- [42] R. Landa Gamiochipi, J. Araujo, R. Clegg, E. Mykoniati, D. Griffin, and M. Rio, “The large-scale geography of internet round trip times,” 2013.

- [43] B. Briscoe, A. Brunstrom, A. Petlund, D. Hayes, D. Ros, I.-J. Tsang, S. Gjessing, G. Fairhurst, C. Griwodz, and M. Welzl, “Reducing internet latency: A survey of techniques and their merits,” in *IEEE Communications Surveys & Tutorials*. IEEE, 2014 (To appear).
- [44] I. Lelouche-filliau and L. Osmanian Molinero, “L’internaute ultra connecté/exposé/engagé,” *MEDIAMETRIE*, Tech. Rep., 2014.
- [45] “Loi numéro 78-17 du 6 janvier 1978 relative à l’informatique, aux fichiers et aux libertés,” Last modification on 19 March 2014. [Online]. Available: <http://legifrance.gouv.fr/affichTexte.do?cidTexte=JORFTEXT000000886460>
- [46] “Rupture sur le câble safe : ralentissements sur le réseau internet,” 2014. [Online]. Available: <http://www.linfo.re/la-reunion/societe/656840-rupture-sur-le-cable-safe-ralentissements-sur-le-reseau-inte>
- [47] L. MaxMind, “City-level geoip database.” [Online]. Available: <http://www.maxmind.com>
- [48] D. Mills, “Internet delay experiments,” 1983.
- [49] N. Mnisi, O. Oyedapo, and A. Kurien, “Active throughput estimation using rtt of differing icmp packet sizes,” in *Broadband Communications, Information Technology & Biomedical Applications, 2008 Third International Conference on*. IEEE, 2008, pp. 480–485.
- [50] R. Noordally, P. Anelli, R. Lorion, and P. U. Tournoux, “Estimation of internet latency : the reunion island case,” 2014. [Online]. Available: <http://lim.univ-reunion.fr/staff/rnoordal/region/article.pdf>
- [51] ONU, “The millennium development goals report 2013,” Organisation Nations United, Tech. Rep., 2013.
- [52] S. Ostermann, “Tcptrace: A tcp connection analysis tool,” *URL: http://www.tcptrace.org*, 2000.
- [53] P. Owezarski, “Métrologie de la qualité de service,” *Ecole d’été temps réel (ETR2003)-Systemes, Réseaux et Applications*, 2003.
- [54] J. Popma, *Technostress et autres revers du travail nomade*, ETUI, Ed. ETUI aisbl, 2013.
- [55] V. Paxson, J. Mahdavi, M. Mathis, and G. Almes, “Framework for ip performance metrics,” *IETF*, 1998.
- [56] V. Paxson, “Bro: a system for detecting network intruders in real-time,” *Computer networks*, vol. 31, no. 23, pp. 2435–2463, 1999.
- [57] —, “Some not-so-pretty admissions about dealing with internet measurements.” in *Workshop on Network-Related Data Management (NRDM 2001)*, 2001.
- [58] “Raspberry pi, official website.” [Online]. Available: <http://www.raspberrypi.org/>
- [59] RENATER, “Renater, connecteur de savoir.” [Online]. Available: <https://www.renater.fr>
- [60] R.I.T.E., “Slow internet? -more bandwidth is not the answer,” 2014. [Online]. Available: <http://riteproject.eu/2014/10/23/slow-internet-more-bandwidth-is-not-the-answer/>

- [61] “Skype : The whole world can talk for free.” [Online]. Available: <http://www.skype.com>
- [62] D. X. Wai, P. Cao, and S. H. Low, “Tcp pacing revisited,” 2006.
- [63] “Tcptrace, official homepage.” [Online]. Available: www.tcptrace.org
- [64] “Protocole de mesure des délais entre la réunion et la france métropolitaine et identification des causes,” 2014. [Online]. Available: <http://lim.univ-reunion.fr/staff/rnoordal/region/protocole.pdf>
- [65] M. Vergoz, “Classement des opérateurs internet réunionnais,” BinarySec, Tech. Rep., 2013.
- [66] L. Wenwei, Z. Dafang, Y. Jinmin, and X. Gaogang, “On evaluating the differences of tcp and icmp in network measurement,” *Computer Communications*, vol. 30, no. 2, pp. 428–439, 2007.
- [67] J. Xu, J. Fan, M. H. Ammar, and S. B. Moon, “Prefix-preserving ip address anonymization: Measurement-based security evaluation and a new cryptography-based scheme,” in *Network Protocols, 2002. Proceedings. 10th IEEE International Conference on*. IEEE, 2002, pp. 280–289.
- [68] G. Guillou, “Câble safe dégradé: Aucune incidence selon sfr et orange,” 2014. [Online]. Available: http://www.zinfos974.com/Cable-SAFE-degrade-Aucune-incidence-selon-SFR-et-Orange_a78726.html